

mIMR (modified IMR)

KNO ₃	1.26	mg
K ₂ HPO ₄	0.22	mg
Na ₂ SiO ₃ ¹⁾	0.61	mg
mIMR trace metals	0.1	mL
Thiamine HCl	20	µg
Vitamin B ₁₂	1	µg
Biotin	0.1	µg
Seawater	100	mL

1) In the NIES-Collection, Na₂SiO₃ is replaced by Na₂SiO₃·9H₂O.

Reference

Paasche, E., Bruback, S., Skattebol, S., Young, J. R., Green, J. C 1996 Growth and calcification in the coccolithophorid *Emiliana huxleyi* (Haptophyceae) at low salinities. *Phycologia*, **35**, 394-403.

mIMR trace metals

FeCl ₃ · 6H ₂ O	100	mg
MnSO ₄ · 4H ₂ O	85.5	mg
ZnSO ₄ · 7H ₂ O	25	mg
Na ₂ MoO ₄ · 2H ₂ O	13	mg
CoCl ₂ · 6H ₂ O	0.4	mg
CuSO ₄ · 5H ₂ O	0.4	mg
Na ₂ SeO ₃	0.173	mg
Na ₂ EDTA ¹⁾	600	mg
Distilled water	100	mL

1) In the NIES-Collection, Na₂EDTA is replaced by Na₂EDTA · 2H₂O.